



Karnataka State
Obstetrics and Gynecology Association
Infertility and ART Committee and Reproductive
Endocrinology Committee 2025-26



Dr. Durgadas Asranna
President



Dr. Shobha Gudi
Secretary General



Dr. Shilpa Haresh
Chairperson,
Infertility & ARTC & REC

KSOGA Fertility Flash

“Timing is everything: Are you triggering right?”

Optimising follicle size for
hCG trigger in IUI cycles

Letrozole-Induced Mono-Follicular IUI Cycles

Optimal Follicle Size for trigger: 19-23 mm
Higher CPR observed within this range

Recommendation: Trigger with hCG at 19-23 mm
in Letrozole induced cycles

<https://doi.org/10.1016/j.fertnstert.2025.03.010>

Clomiphene Citrate (CC) IUI Cycles

Optimal Follicle Size for trigger: 21-22 mm
CPR 2.3 times higher than at 19-20mm

Recommendation: Trigger with hCG at 21-22 mm in
Clomiphene induced cycles

<https://doi.org/10.1016/j.fertnstert.2020.10.026>

Letrozole + HMG IUI Cycles

Optimal Follicle Size for trigger: 16-18 mm
Higher CPR observed within this range

Recommendation: Trigger with hCG at 16-18mm in
Letrozole+HMG induced cycles

<https://doi.org/10.1016/j.rbmo.2022.11.003>



Takeaway Message

- Personalize trigger timing based on the follicle size and the specific induction protocol used.
- Monitoring follicle growth with timely ultrasounds are critical

Content Coordinators: Dr. Sujay Heranjal & Dr. Satwik Metgud